











## Windows Tablets and convertible laptops

Box		Getac					
Cielo		ETT10A1	RX10	S410	T800	V110	F110
							
<b>Operating System</b>		Windows 8.1 , Windows embedded 8.1 Industry Retail; Android	Windows® 10 Pro Windows® 7 Pro	Windows 10 Professional Windows 7 Professional	Windows 10 Professional	Windows 10 Pro Windows 7 Professional	Windows 10 Professional Windows 7 Professional
<b>Processor</b>		Intel® Z3745 Atom, quad-core CPU (Bay Trail-T)	Intel Atom N2600 Dual Core 1.6 GHz	Intel® Core™ M 1.2GHz with turbo boost	Intel® Core™ i3 to i7	Intel® Atom 1.6GHz, burst up to 2.56GHz	Intel® i7 or i5 up to 3GHz with Turbo Boost
<b>Memory</b>	<b>RAM</b>	2GB DC DDR3	2GB DDR3 – 1066 MHz	4GB	4GB LPDDR3 expandable to 16GB	4GB expandable to 8GB	8GB DDR expandable to 16GB
	<b>ROM</b>	64GB eMMC [32 / 128 GB optional]	32GB SSD	SSD 128GB / 256 / 512GB	SATA HDD 500GB	eMMC 64GB / 128GB	Optional SSD 128GB / 256GB / 512GB / 1TB. Optional OPAL SSD 256GB / 512GB
<b>SD Slot</b>		Micro SD	PCI-E	Micro HDMI	SD Card Reader	Optional Ethernet	Express Card/54 x 1 Smart card x 1
<b>Drop Spec</b>		1m (1.8m with opt. case)	N/A	4ft	3ft	6'	Drop resistant
<b>Ingress Protection</b>		IP65	IP54	IP65	IP52	IP65	IP65
<b>WLAN</b>			802.11 b/g/n	Intel® Dual Band Wireless-AC 7265, 802.11ac	802.11ac	802.11ac	802.11ac
<b>PAN</b>			BT 4.0	BT 4.0 Class 1	BT v4.2	BT v4.0	BT 4.2
<b>WWAN</b>		WiFi, WiDi, BT, GPS/GLONASS	N/A	Optional	Option	Option	WLAN and WWAN
<b>GPS</b>		Yes	None	Optional	Option	Optional	Optional
<b>Imager</b>		Optional add-on	2D barcode scanning	Optional 1D/2D	No	Option	Optional
<b>Camera</b>		2MP Front . 8MP Back	Rear facing RF	8M rear. Webcam	Option webcam	Option	Optional
<b>Keypads</b>		10 point multi-touch and pen support	Onscreen	Touchscreen. 6 tablet buttons	Membrane	Touchscreen. 6 tablet buttons	LED membrane. Optional Rubber
<b>Batteries</b>			12W AC 120/220V, 36W	Li-Ion (15.2V, 2160mAh)	11.1V, 4200mAh Li-ion	Li-Ion 7.4V, 4200	1.1V, 2100mAh x2
<b>Dimensions (mm)</b>		228 x 150 x 12.5	292.6 x 20 x 207.5	280x 245 x 18.8	350 x 293 x 34.9	227 x 151 X 24	313 x 238 x 39
<b>Weight</b>		c555g	0.9kg	1.2 ~1.3kg	2.2 Kg	0.88kg	1.98g
<b>Display</b>		8.3: 8.3" or 10.1"	10.1"	10.1" TFT LCD	14" TFT LCD HD	8.1" TFT LCD HD	11.6" IPS TFT LCD HD
<b>RFID</b>		No		No	No	Optional	
<b>Connectors</b>		Full-size USB2.0 connector; 3.5mm audio jack, Micro USB for charging / debugging, Docking: USB3.0, HDMI	1 x USB (3 in docking station), 1 x LAN RJ45	Webcam; Camera; Headphone; DC jack; USB 3.0; USB 2.0; 16-pin docking; Micro HDMI; Opt RF antenna; WLAN and WWAN	Headphone; DC jack; USB 3.0; USB 2.0; RJ45; LAN; HDMI; Docking connector. OPTIONAL: Serial; VGA; SIM; FHD Webcam; RF antenna; Rugged USB 2.0.	FHD webcam; 8MP rear camera; USB 3.0; Headphone; DC jack; Micro HDMI; 24 pin docking; Opt RF antenna pass through fro GPS; WWAN and WLAN.	Webcam; Serial; Headphone; DC; USB 3.0; USB 2.0; RJ45; HDMI; 24-pin docking; Opt 8MP rear camera; Opt RF antenna; WLAN or WWAN.
<b>Notes</b>							









## Windows Tablets and convertible laptops

	Handheld	Janam	Juniper	Mobile	XPLORE
					
	Algiz 10X	XT2	Mesa Rugged notepad	IB-8	F5m
<b>Operating System</b>	Windows Embedded 8.1 Industry Pro (64-bit). Windows 7 Ultimate (64-bit)	Android 5.x Lollipop or Windows 10	Windows Embedded Handheld 6.5	Windows 7/8 Standard, 7 Pro, 8.1 Pro	Windows® 10 Pro 64-bit Windows® 8.1 Pro 64-bit
<b>Processor</b>	Intel® quad-core N2930 1.83 GHz	Quad-core Qualcomm MSM8916 CPU @1.2GHz	806 Mhz PXA320	Intel® Bay Trail-M Quad	Intel® Core™ i3 or i5 or i7
<b>Memory</b>	<b>RAM</b> 4GB DDR3	1GB or 8GB	256MB	32GB	DDR3L 1600MHz SDRAM 4. 8 or 16GB opt.
	<b>ROM</b> 128 GB SSD	2GB/16GB	4GB Flash	SSD 32GB up to 256GB	64GB, 128GB or 256GB SSD
<b>SD Slot</b>	MicroSD, SDXC	USB 2.0	COM1, RS-232C 9-pin D USB Host	Micro SD	USB
<b>Drop Spec</b>	4ft	5 ft	4ft	47"	4ft
<b>Ingress Protection</b>	IP65	IP67	IP67	IP6x (dust), IPx5 (water)	MIL-STD-810G Certified
<b>WLAN</b>	802.11ac a/b/g,n	802.11a/b/g/n	802.11b/g	802.11 b/g/n	802.11ac
<b>PAN</b>	BT v4.0 / v2.1	BT v4.0	BT v2.0 + EDR	BT v3.0	BT v4.0
<b>WWAN</b>	MC7304 / MC354/ LTE/ HSPA+/ GSM/GPRS	EDGE/GPRS/GSM; WCDMA; LT	HSDPA/UMTS/ GSM/GPRS/EDGE		Qualcomm® Gobi™ technology 4G XLTE
<b>GPS</b>	Integrated	Qualcomm® IZat™	Geo models	GPRS	GNSS (GPS + GLONASS) Optional U-Blox 7 GPS
<b>Imager</b>	No	1D, 2D	No	1D/2D	1D / 2D optional barcode reader
<b>Camera</b>	5MP	2MP front, 8MP rear	3.2MP (Geo models)	Front (2M) & rear (5M)	Front (2M) & rear (8M)
<b>Keypads</b>	On screen QWERTY soft	Capacitive touch	15 control buttons	Capacitive touch	Projective Capacitive 10-point Touch AFFS+ LED
<b>Batteries</b>	Li-Ion 5300 mAh standard, 10600 mAh extended	Li-Ion 3000mAh (4000mAh opt.)	Li-ion 7.4VDC @ 2550mAh	DC 3.7V/ 920mAh	Li-Ion 40WHr
<b>Dimensions (mm)</b>	275 x 171 x 32	155 x 83 x 24	136 x 200 x 51	251 x 181 x 30	256 x 256 x 24.3
<b>Weight</b>	1.3 kg	279g (293g inc MMR)	862g	1.3Kg	1.50 kg
<b>Display</b>	10.1" widescreen	5.0" HD	5.7" VGA LCD	TFT LCD 8"	10.4" XGA
<b>RFID</b>		ISO14443 Type A; ISO14443 Type B; MIFARE UltraLight; MIFARE UltraLight C; MIFARE 1k/4k/Plus; MIFARE DESFire; MIFARE DESFire EV1; NFC	No	HF RFID: 13.56 MHz UHF RFID: 860~960 MHz	No
<b>Connectors</b>	1 x USB 2.0; 1 x USB 3.0; 1 x 9-pin serial RS-232 port; 1 x VGA; 1 x DC power; 1 x RJ45 10/100/1000 LAN; 1 x microSD SDXC; 1 x Audio/Microphone		COM1, RS-232C 9-pinD, USB Host, 12VDC, 3.5mm Audio	2xUSB 2.0, DC jack, 1xRS232, 1xMicro, 1x16pin dock, 1x10/100 Ethernet, 1xSIM, 1xMini HDMI	Docking; USB 3.0.
<b>Notes</b>					









# Windows Tablets and convertible laptops

		Panasonic				Sumo			
		CF-20 Toughpad	Toughbook CF-54	FZ-G1	CF-31 Toughbook	FZ-M1 Toughpad	ST307SC	ST313	ST391GS
									
<b>Operating System</b>		Windows 10 Pro Windows 7 Pro	Windows 10 Pro	Windows 10 Pro	Windows 8 Pro Windows 7 Pro downgrade	Windows 10 Pro	Microsoft® Windows® CE 6.0, Microsoft® Windows® Mobile 6.x	Microsoft® Windows® Standard 7, 7 Pro, Standard 8 or 8.1 Industry Pro	Microsoft® Windows® Embedded Standard 7 or 7 Professional
<b>Processor</b>		Intel® Core™ m5-6Y57 vPro	Intel Core™ i5-5300U v Pro	Intel® Core™ i5-6300U vPro™	Intel Core i5-3340M vPro	Intel® Core™ m5-6Y57 vPro	Samsung S3C6410, 800MHz	Intel® Core™ i7, 1.8GHz	Intel® Celeron® Dual Core, 1.58GHz (up to 2.17GHz)
<b>Memory</b>	<b>RAM</b>	8GB	8GB (DDR4)	4GB DDR3L SDRAM	4GB DDR3L SDRAM	8GB SD	512MB	4GB/ 8GB/ 16GB DDR3L	4GB
	<b>ROM</b>	256 GB Solid State Drive	256GB SSD Optional 128GB SSD	128GB SSD	500GB	256GB SSD	4GB	32GB to 500GB flash	32GB to 128GB Flash
<b>SD Slot</b>		Micro SD	SD/SDXC	Micro SD	USB	Micro SD/SDXC	Up to 8GB	Up to 64GB	Micro-SD x 1, up to 64GB
<b>Drop Spec</b>		120cm	90cm	180cm	180cm	180cm	Ruggedized	FCC Class B, CE, RoHS compliant	MIL-STD-810G
<b>Ingress Protection</b>		IPX5	N/A	IP65	IP-65	IP65		IP54	IP65
<b>WLAN</b>		Intel Dual Band Wireless-AC 8260	802.3 10Base-T	802.11 a/b/g/n	802.11 a/b/g/n	Dual Band Wireless-AC 8260	802.11a/b/g/n	802.11ac, 2.4GHz/ 5GHz dual	802.11ac; 2.4GHz/ 5GHz
<b>PAN</b>		BT v 4.1 Class 1	BT v4.1 + EDR	BT 4.1 + EDR	BT 4.0 + EDR	BT 4.1 + EDR	BT v2.1	BT v4.0 LE	BT v4.0
<b>WWAN</b>				Optional	3G Mobile Broadband (HSPA+, up to 14.4Mbps) Optional	Option			3G WCDMA/HSPA/HSPA+/ EDGE/GPRS/GSM
<b>GPS</b>		Optional u-blox NEO-M8N with GPS/GLONASS/SBAS Support	Option	Optional	Optional	Option. Supports 4G	No	No	Yes
<b>Imager</b>		2D Barcode Reader	Option	Optional Smart Card reader	Fingerprint Reader, Smart Card Reader, both optional	choice of 1D/2D Barcode Reader	1D/2D Optional	No	No
<b>Camera</b>		Front 2MP; Rear 8MP	Webcam: 2MP with digital microphone	Front: HD 720p. Rear: 8MP autofocus	No	Front: 720MP front. 8MP rear	5MP Optional	2MP front, 5MP back Opt.	2MP front, 5MP back
<b>Keypads</b>		10 finger capacitive multi- touchscreen	Capacitive touchscreen	10 finger capacitive multi- touch	Resistive Touchscreen, Touch- pad and Keyboard with 88 keys	Capacitive multi-touch	Capacitive Touch	Capacitive touch + stylus	Capacitive Touch
<b>Batteries</b>		Li-Ion 11.4 V, 2600mAh	Lithium-Ion (6 cell, 46Wh)	Li-Ion (11.1V, 4200mAh)	Li-ion (10.65V, 8550 mAh)	Li-Ion (7.2V, 3220mAh)	3.7V, 4000mAh	14.8V, 1880mAh	7.4V, 3760mAh
<b>Dimensions (mm)</b>		272 x 233 x 33.5 (main and base)	345 x 272 x 29.8	270x188x19	302 x 73.5 x 292	203x18x132	133 x 210 x 18	216 x 344 x 18.9	246 x 186 x 38.2
<b>Weight</b>		1.76kg (main and base)	Approx 2.1 kg	1.1 Kg	3.72kg	540g	0.5kg	1.5kg	1.16 kg
<b>Display</b>		10.1" sunlight-viewable TFT	14" IPS Active Matrix (TFT) colour LCD	10.1" TFT WUXGA	13.1" sunlight-viewable	7" sunlight-viewable WXGA TFT IPS LCD with circular polarizer	7" LED-backlight, capacitive touch	13.3" LED backlight	9" LED-backlight
<b>RFID</b>		No	No	No	No	Option	13.56MHz optional	Optional 13.56MHz ±7KHz	N/A
<b>Connectors</b>		3 x USB3; 1 x USB 2; 2 x RJ-45; 2 x serial; 2 x HDMI; 1 x VGA; 1 x Headset; 1 x Port replicator; 1 x Antenna	USB 3.0 (3); HDMI; RJ45; Head- phone, DC Jack; 24 pin port; 15 pin VGA; 9 pin serial; USB 2.0.	USB 3.0, 2.0; RJ45; HDMI; Headset; 24 pin port; Antenna.	USB 3.0 x 1, 2.0 x 2 RJ-45, VGA, HMDI, Serial, Mini jack mic & headphone, RJ-45, RJ-11 (opt), Firewire (opt), Coax, desktop port replicator	USB 3.0, Headset, Port Replicator Connector, Dual Antenna Connector (opt)	1 USB 2.0, 1 mini USB, 1 x Microphone In, 1 x Head- phone Out, 1 x DC-in 1 x SD Slot up to 8GB	1 x USB, 1 x Mic in, 1 x headphone out 1 x DC in, Smart card reader	2 x USB, 1 x headphone out 1 x DC in, 1 x Micro SD
<b>Notes</b>			Optional: Smart Card or Fingerprint Reader, 4G Mobile Broadband, GPS (ublox), Bridge battery hot swap, Dual Pass through Antenna	Optional NFC	Full magnesium alloy case with integrated carrying handle				

## Windows Tablets and convertible laptops

		Sumo (continued)					Trimble	XPlore	
		ST391UF	ST395	ST398B	ST315BT	ST315CT	Kenai	R12	F5m
									
<b>Operating System</b>		Microsoft® Windows® Embedded Standard 7 or 7 Professional	Windows, Embedded Standard 7, Windows 7 Professional, Linux	Windows, Embedded Standard 7, Windows 7 Professional, Linux	Windows, Embedded 7, 7 Pro, 8.0, 8.0 Pro or Linux	Windows Embedded Standard 7, Windows 7 Professional, Linux	Windows® 10 Professional	Windows® 10 Pro, 8.1 and 7	Windows® 10 Pro, 8.1, 7
<b>Processor</b>		Intel® Celeron® Dual Core, 1.58GHz (up to 2.17GHz)	Intel® Atom™ Dual Core, 1.86GHz	Intel® Celeron® Dual Core, 1.1GHz	Intel® Celeron® Dual Core, 1.58GHz	Intel® Atom™ Dual Core, 1.86GHz	Intel® BayTrail-I Atom E3826 1.46GHz dual	Intel® Core i7, i5 and Celeron	Intel® Core™ i7 vPro, i5, i3
<b>Memory</b>	<b>RAM</b>	4GB	4GB	4GB	4GB	4GB	4GB or 8GB DDR3 DRAM	4 GB or 8 GB DDR3L	4GB
	<b>ROM</b>	32GB to 128GB Flash	8GB to 256GB Flash	8GB to 256GB Flash	32GB to 256GB Flash	256GB Flash	128 or 256 GB	64GB SSD, 128 GB, 256 GB SSD, 512GB, 1TB all SSD	64GB, 128GB or 256GB
<b>SD Slot</b>		Micro-SD x 1, up to 64GB	Up to 64GB	Up to 64GB	SD Card	Up to 64GB	USB	Micro SD	USB 3.0 port
<b>Drop Spec</b>		MIL-STD-810G	MIL-STD-810G	MIL-STD-810G	N/A	N/A	4ft	4ft	Rubberized for shock dampening
<b>Ingress Protection</b>		IP65	IP65	IP65	IP52 front panel	IP54 front panel	IP65	IP54	IP54
<b>WLAN</b>		802.11ac; 2.4GHz/ 5GHz	802.11a/b/g/n	802.11a/b/g/n	802.11ac	802.11a/b/g/n	802.11 a/b/g/n	802.11 a/b/g/n	
<b>PAN</b>		BT v4.0	BT v3.0 + HS	BT v3.0 + HS	BT v4.0 LE	BT 3.0 HS	BT v4.0	BT 4.2	BT 4.0
<b>WWAN</b>		WCDMA/HSPA/HSPA+/EDGE/GPRS/GSM	HSPA+/WCDMA/EDGE/GPRS/GSM- 3G - Optional	HSPA+/WCDMA/EDGE/GPRS/GSM- 3G - Optional	3G module for HSPA+/WCDMA/EDGE/GPRS/GSM with GPS (optional)	3G module for HSPA+/WCDMA/EDGE/GPRS/GSM with GPS (optional)	GSM, 4G LTE data only	4G LTE with GNSS according to model	
<b>GPS</b>		No	Yes - Optional	Yes - Optional			L1 GPS, GLONASS or BeiDou	GPS with SBAS according to model	Optional U-Blox 7 GPS
<b>Imager</b>		No	1D & 2D Barcode Imager	1D & 2D Barcode Imager	1D & 2D (optional)	1D & 2D Barcode Imager	No	Optional	Optional 1D/2D
<b>Camera</b>		2MP front, 5MP back	2MP Front . 5MP Back	2MP Front . 5M Back	5MP Rear (optional)	5M Back	8MP LED Flash	8MP (rear), 2MP (front)	8MP rear, 2MP front
<b>Keypads</b>		Capacitive Touch	Onscreen	Onscreen	Capacitive touch	Onscreen	10-point multi-touch capacitive touchscreen	Onscreen	Capacitive 10-point Touch
<b>Batteries</b>		7.4V, 3760mAh	7.4V, 3760mAh	14.8V, 1880mAh	7.4V, 3760mA	7.4V, 3760mAh	10.8V 4.5mAh	Li-ion 45Whr	40Whr Lithium ion
<b>Dimensions (mm)</b>		246 x 186 x 38.2	196 x 256 x 33.5	220 x 263 x 25.4	211.5 x 260 x 20.3	211.5 x 260 x 20.3	298x206x43	328.5x207.5x19	256 x 256 x 24.3
<b>Weight</b>		1.16 kg	1.1 Kg	1.4 Kg	1.22 kg	0.9 kg	1.6kg	1.34kg	1.5 kg
<b>Display</b>		9" LED-backlight	9" LED Backlight + Resistive Touch	9.7" LED Backlight + Resistive Touch	9.7" LED-backlight	9.7" LED-backlight screen with capacitive touch	10.1" WUXGA	12.5"	10.4" XGA
<b>RFID</b>		840 ~ 960MHz; support China2, China1, US, EU, Korea, Japan, etc.	N/A	13.56MHz		No			
<b>Connectors</b>		2 x USB, 1 x headphone out 1 x DC in, 1 x Micro SD	1 x USB. ISO 7816 T=0, T=1; 1.8/3/5V smart card reader	1 eSATA USB	USB 3.0 Mic (opt), DC in, SD	USB	RS 232 DB 9 Serial, 3.5 mm audio,	Docking, USB 3.0, Serial (opt), 3mm Audio, HDMI, SD, SIM, Opt: RS232, RJ45, CAC/Smart Card Reader	Docking, USB 3.0
<b>Notes</b>		Built-in gyroscope sensor, e-compass sensor, pressure sensor and 3-axis accelerometer	Built in speakers. Optional external battery 7.4V, 3760mAh	Built in speakers. Optional external battery 7.4V, 3760mAh		Built in speakers			CID2 certified

## Windows Tablets and convertible laptops

		XPLORE							Zebra	
		XSLATE B10	XSLATE R12	DM	DML	DMSR	DMSR M2	Bobcat	XC6	ET50 / 55
										
<b>Operating System</b>		Windows 10 Pro, 8.1 Pro, 7 Pro	Windows 10 Pro, 8.1 Pro, 7 Pro	Windows 7 Pro, 8.1 Pro	Windows 7 Pro, 8.1 Pro	Windows 7 Pro, 8.1 Pro	Windows 7 Pro, 8.1 Pro	Windows 10/ 8.1 Pro, 64-Bit Windows 7 Pro 32, 64- Bit	Windows 7 Pro 32-Bit, 64-Bit or 8.1 Pro 64-Bit	Windows Industry Embedded 8.1 Pro with Connected Standby (Windows 10 ready)
<b>Processor</b>		Intel® Core™ i5-5350U, 1.8GHz	Intel® Core™ i7-7500U	Intel® Core™ i5-4300U 1.9GHz	Celeron 2980U 1.60Ghz	Intel® Core™ i5-4300U 1.9GHz or i7-4650U 1.7GHz	Intel® Core™ i5-4300U 1.9GHz or i7-4650U 1.7GHz	Intel® Atom™ E3845 Quad Core 1.91 GH	4th Gen Intel® Core™ i9 / 1.7GHz	Intel quad core 2.4 GHz 64 bit
<b>Memory</b>	<b>RAM</b>	8 GB	8 GB	4GB	4GB	4GB	4GB	4 GB DDR3L 1333	4GB	4GB LPDDR3
	<b>ROM</b>	Standard 128 GB SSD Up to 256 or 512 GB SSD	Options: 128GB, 256GB, 512GB SSD	16GB	16GB	16GB	16GB	128 GB DDR3L up to 256GB SSD (opt)	Up to 16GB expandable	64 GB eMMC Flash
<b>SD Slot</b>		Micro SDXC	Micro SD	Micro SD	Micro SD	Micro SD and Micro SIM	Micro SD and Micro SIM	Micro SDXC	Micro SD and SIM	USB2.0
<b>Drop Spec</b>		5ft	4ft	4ft	4ft	4ft	4ft	5ft	4ft	1m
<b>Ingress Protection</b>		IP65	IP54	IP67	IP67	IP67	IP67	IP65	IP67	IP65
<b>WLAN</b>		802.11ac		802.11 a/c	802.11 ac	802.11 ac	802.11 ac	802.11 ac	802.11ac	802.11a/b/g/n/k/r
<b>PAN</b>		BT v4.0	BT v4.2	BT v4.0	BT v4.0	BT v4.0	BT v4.0	BT v4.0	BT v4	BT v4.0
<b>WWAN</b>		4G LTE (Optional)	4G LTE (optional)					4G LTE (Optional)	Integrated	Global LTE with HSPA+
<b>GPS</b>		Integrated	Optional	Optional	Optional	Optional	Optional	Integrated	Optional 2 Meter GPS or Sub-Meter GPS	Integrated
<b>Imager</b>		1D/2D (Optional)	Fingerprint Reader, Optional: Smart Cardreader, 1D/2D barcode reader	Optional CAC reader	Optional CAC reader	Optional CAC reader Integrated Barcode capable 5MP camera	Integrated Barcode capable 5MP camera	1D/2D Barcode Scanner (Optional)	Integrated Barcode Capable	Expansion pack accessory
<b>Camera</b>		Front: 1080P FHD Webcam Rear: 8 MP	8MP rear, 2MP front	Integrated front , Barcode capable rear	Xplore Camera (Photo And Video) Software	HD Front	HD Front	Rear 5 MP W/ Flash. Integrated Front 720P HD Webcam	Integrated HD font. 5MP rear	2.0 MP Front, 8.0 MP Rear
<b>Keypads</b>		10-Finger Capacitive Touch	Capacitive 10-Point Touch	Onscreen	Onscreen	Onscreen	Onscreen	10 finger Multitouch screen	Resistive touchscreen	Capacitive 10 point multi-touch
<b>Batteries</b>		5300 mAh, 39.2 Whr	Li-Ion, 45Whr	Li-Ion, 81.4Whr	Li-Ion, 81.4Whr	Li-Ion, 81.4Whr	Li-Ion, 81.4Whr	39.2 Whr, Single Battery)	Li-ion 81.4 Wh	5900 mAh rechargeable Smart Li-Ion
<b>Dimensions (mm)</b>		281 x 180 x 22	328.5 m x 207.5 m x 19	284.4 x 209.5 x 40.7	284.4 x 209.5 x 40.7	284.4 x 209.5 x 40.7	284.4 x 209.5 x 40.7	281x180x22	284.4x209.5x407	8.3": 228 x 150 x 12.5 10.1": 269 x 181 x 12.5
<b>Weight</b>		From 1.09 kg	1.34 kg	2.4kg	2.4kg	2.4kg	2.4kg	1.09kg	2.4kg	8.3":555 g; 10.1": 750 g
<b>Display</b>		10.1" WXGA LED Backlit	12.5" Wide Viewing Angle	10.4" XGA LED IPS	10.4" XGA LED IPS	10.4" XGA LED IPS	10.4" LED IPS	10.1" WXGA	10.4" XGA	21 cm and 25.6 cm
<b>RFID</b>									No	
<b>Connectors</b>		DC Power, 2 USB 3.0, Micro SDXC, Micro HDMI-out, Micro SIM Card Reader, RS232 True Serial Ready, Stereo Headphones/Mic Mini-Jack, Smart Phone, Headphone Compatible, HDMI Input (Optional)	Dodling, USB 3, 3mm audio, HDMI, Micro SD, Micro SIM, Optional : RS232, RJ45, CAC/Smart card resder.	DC IN,Docking, Headphone, Micro SD and SIM, USB 3.0 x 2, RJ45, XPL for GPS attachment	DC IN,Docking, Headphone, Micro SD and SIM, USB 3.0 x 2, RJ45, XPL for GPS attachment	DC IN,Docking, Headphone, Micro SD and SIM, USB 3.0 x 2, RJ45, XPL for GPS attachment	DC IN,Docking, Headphone, Micro SD and SIM, USB 3.0 x 2, RJ45, XPL for GPS attachment	DC Power. 2 x USB 3.0. Micro SDXC. Micro HDMI-Out. Micro SIM Card Reader. RS232 Serial Ready Port. Headphones/Speaker Mini-Jack Stereo, Smart Phone Headphone Compatible	DC power. Docking. 2 USB 3.0. RJ-45. Headphone/speaker, mic. 9-pin Serial (RS232/RS422/RS485) (Standard VGA Or HDMI-Out Opt). MicroSD and SIM (tool-less). Side XPL Expansion ports	Docking, USB 3.0; HDMI; USB 2.0; Audio jack, µUSB (for charging)
<b>Notes</b>									Readable in direct sunlight	