

















Windows Tablets and convertible laptops

Box		Getac						
Cielo		ETT10A1	K120	RX10	S410	T800	V110	F110
								
Operating System		Windows 8.1 , Windows embedded 8.1 Industry Retail; Android	Windows® 10 Professional, 64 bit	Windows® 10 Pro Windows® 7 Pro	Windows 10 Professional Windows 7 Professional	Windows 10 Professional	Windows 10 Pro	Windows 10 Professional Windows 7 Professional
Processor		Intel® Z3745 Atom, quad-core CPU (Bay Trail-T)	Intel Atom N2600 Dual Core 1.6 GHz	Intel® Core™ i7-8650U vPro 1.9 to 4.2GHz	Intel® Core™ M 1.2GHz with turbo boost	Intel® Core™ i3 to i7	Intel® i7 or i5	Intel® i7 or i5 up to 3GHz with Turbo Boost
Memory	RAM	2GB DC DDR3	2GB DDR3 – 1066 MHz	4GB DDR4	4GB	4GB LPDDR3 expandable to 16GB	4GB expandable to 8GB	8GB DDR expandable to 16GB
	ROM	64GB eMMC [32 / 128 GB optional]	32GB SSD	AES SSD 128GB / 256GB / 512GB / 1TB	SSD 128GB / 256 / 512GB	SATA HDD 500GB	eMMC 64GB / 128GB	Optional SSD 128GB / 256GB / 512GB / 1TB. Optional OPAL SSD 256GB / 512GB
SD Slot		Micro SD	PCI-E	Optional Serial port, or USB 2.0	Micro HDMI	SD Card Reader	Optional Ethernet	Express Card/54 x 1 Smart card x 1
Drop Spec		1m (1.8m with opt. case)	N/A	6ft	4ft	3ft	6'	Drop resistant
Ingress Protection		IP65	IP54	IP65	IP65	IP52	IP65	IP65
WLAN			802.11 b/g/n	802.11ac	Intel® Dual Band Wireless-AC 7265, 802.11ac	802.11ac	802.11ac	802.11ac
PAN			BT 4.0	BT 4.2	BT 4.0 Class 1	BT v4.2	BT v4.0	BT 4.2
WWAN		WiFi, WiDi, BT, GPS/GLONASS	N/A	Optional	Optional	Option	Option	WLAN and WWAN
GPS		Yes	None	Optional	Optional	Option	Optional	Optional
Imager		Optional add-on	2D barcode scanning	Optional	Optional 1D/2D	No	Option	Optional
Camera		2MP Front . 8MP Back	Rear facing RF		8M rear. Webcam	Option webcam	Option	Optional
Keypads		10 point multi-touch and pen support	Onscreen	Touchscreen	Touchscreen. 6 tablet buttons	Membrane	Touchscreen. 6 tablet buttons	LED membrane. Optional Rubber
Batteries			12W AC 120/220V, 36W	Li-Ion s (11.1V, 2100mAh) x 2	Li-Ion (15.2V, 2160mAh)	11.1V, 4200mAh Li-ion	Li-Ion 7.4V, 4200	1.1V, 2100mAh x2
Dimensions (mm)		228 x 150 x 12.5	292.6 x 20 x 207.5	329.5 x 238 x 24	280x 245 x 18.8	350 x 293 x 34.9	227 x 151 X 24	313 x 238 x 39
Weight		c555g	0.9kg	1.8 kg	1.2 ~1.3kg	2.2 Kg	0.88kg	1.98g
Display		8.3: 8.3" or 10.1"	10.1"	12.5" IPS TFT LCD FHD	10.1" TFT LCD	14" TFT LCD HD	8.1" TFT LCD HD	11.6" IPS TFT LCD HD
RFID		No			No	No	Optional	
Connectors		Full-size USB2.0 connector; 3.5mm audio jack, Micro USB for charging / debugging, Docking: USB3.0, HDMI	1 x USB (3 in docking station), 1 x LAN RJ45	FHD Webcam (Windows Hello Webcam opt.); Camera; Headphone; DC jack; USB 3.1; USB 3.0; Micro SD; Docking (16 pin); Opt RF antenna pass-through for GPS, WLAN & WWAN	Webcam; Camera; Headphone; DC jack; USB 3.0; USB 2.0; 16-pin docking; Micro HDMI; Opt RF antenna; WLAN and WWAN	Headphone; DC jack; USB 3.0; USB 2.0; RJ45; LAN; HDMI; Docking connector. OPTIONAL: Serial; VGA; SIM; FHD Webcam; RF antenna; Rugged USB 2.0.	FHD webcam; 8MP rear camera; USB 3.0; Headphone; DC jack; Micro HDMI; 24 pin docking; Opt RF antenna pass through fro GPS; WWAN and WLAN.	Webcam; Serial; Headphone; DC; USB 3.0; USB 2.0; RJ45; HDMI; 24-pin docking; Opt 8MP rear camera; Opt RF antenna; WLAN or WWAN.
Notes								









Windows Tablets and convertible laptops

	Handheld	Janam	Juniper	Mobile	XPLORE
					
	Algiz 10X	XT2	Mesa Rugged notepad	IB-8	F5m
Operating System	Windows Embedded 8.1 Industry Pro (64-bit). Windows 7 Ultimate (64-bit)	Android 5.x Lollipop or Windows 10	Windows Embedded Handheld 6.5	Windows 7/8 Standard, 7 Pro, 8.1 Pro	Windows® 10 Pro 64-bit Windows® 8.1 Pro 64-bit
Processor	Intel® quad-core N2930 1.83 GHz	Quad-core Qualcomm MSM8916 CPU @1.2GHz	806 Mhz PXA320	Intel® Bay Trail-M Quad	Intel® Core™ i3 or i5 or i7
Memory	RAM 4GB DDR3 ROM 128 GB SSD	1GB or 8GB 2GB/16GB	256MB 4GB Flash	32GB SSD 32GB up to 256GB	DDR3L 1600MHz SDRAM 4. 8 or 16GB opt. 64GB, 128GB or 256GB SSD
SD Slot	MicroSD, SDXC	USB 2.0	COM1, RS-232C 9-pin D USB Host	Micro SD	USB
Drop Spec	4ft	5 ft	4ft	47"	4ft
Ingress Protection	IP65	IP67	IP67	IP6x (dust), IPx5 (water)	MIL-STD-810G Certified
WLAN	802.11ac a/b/g,n	802.11a/b/g/n	802.11b/g	802.11 b/g/n	802.11ac
PAN	BT v4.0 / v2.1	BT v4.0	BT v2.0 + EDR	BT v3.0	BT v4.0
WWAN	MC7304 / MC354/ LTE/ HSPA+/ GSM/GPRS	EDGE/GPRS/GSM; WCDMA; LT	HSDPA/UMTS/ GSM/GPRS/EDGE		Qualcomm® Gobi™ technology 4G XLTE
GPS	Integrated	Qualcomm® IZat™	Geo models	GPRS	GNSS (GPS + GLONASS) Optional U-Blox 7 GPS
Imager	No	1D, 2D	No	1D/2D	1D / 2D optional barcode reader
Camera	5MP	2MP front, 8MP rear	3.2MP (Geo models)	Front (2M) & rear (5M)	Front (2M) & rear (8M)
Keypads	On screen QWERTY soft	Capacitive touch	15 control buttons	Capacitive touch	Projective Capacitive 10-point Touch AFFS+ LED
Batteries	Li-Ion 5300 mAh standard, 10600 mAh extended	Li-Ion 3000mAh (4000mAh opt.)	Li-ion 7.4VDC @ 2550mAh	DC 3.7V/ 920mAh	Li-Ion 40WHr
Dimensions (mm)	275 x 171 x 32	155 x 83 x 24	136 x 200 x 51	251 x 181 x 30	256 x 256 x 24.3
Weight	1.3 kg	279g (293g inc MMR)	862g	1.3Kg	1.50 kg
Display	10.1" widescreen	5.0" HD	5.7" VGA LCD	TFT LCD 8"	10.4" XGA
RFID		ISO14443 Type A; ISO14443 Type B; MIFARE UltraLight; MIFARE UltraLight C; MIFARE 1k/4k/Plus; MIFARE DESFire; MIFARE DESFire EV1; NFC	No	HF RFID: 13.56 MHz UHF RFID: 860~960 MHz	No
Connectors	1 x USB 2.0; 1 x USB 3.0; 1 x 9-pin serial RS-232 port; 1 x VGA; 1 x DC power; 1 x RJ45 10/100/1000 LAN; 1 x microSD SDXC; 1 x Audio/Microphone		COM1, RS-232C 9-pinD, USB Host, 12VDC, 3.5mm Audio	2xUSB 2.0, DC jack, 1xRS232, 1xMicro, 1x16pin dock, 1x10/100 Ethernet, 1xSIM, 1xMini HDMI	Docking; USB 3.0.
Notes					

Windows Tablets and convertible laptops

		Panasonic				Sumo		
		CF-20 Toughpad	Toughbook CF-54	FZ-G1	FZ-M1 Mk 3	ST3075C	ST313	ST391GS
								
Operating System		Windows 10 Pro Windows 7 Pro	Windows 10 Pro	Windows 10 Pro	Windows 10 Pro	Microsoft® Windows® CE 6.0, Microsoft® Windows® Mobile 6.x	Microsoft® Windows® Standard 7, 7 Pro, Standard 8 or 8.1 Industry Pro	Microsoft® Windows® Embedded Standard 7 or 7 Professional
Processor		Intel® Core™ m5-6Y57 vPro	Intel Core™ i5-5300U v Pro	Intel® Core™ i5-6300U vPro™	Intel® Core™ m5-7Y57 vPro	Samsung S3C6410, 800MHz	Intel® Core™ i7, 1.8GHz	Intel® Celeron® Dual Core, 1.58GHz (up to 2.17GHz)
Memory	RAM	8GB	8GB (DDR4)	4GB DDR3L SDRAM	8GB SD	512MB	4GB/ 8GB/ 16GB DDR3L	4GB
	ROM	256 GB Solid State Drive	256GB SSD Optional 128GB SSD	128GB SSD	128GB SSD, 256GB SSD (opt)	4GB	32GB to 500GB flash	32GB to 128GB Flash
SD Slot		Micro SD	SD/SDXC	Micro SD	Micro SD/SDXC	Up to 8GB	Up to 64GB	Micro-SD x 1, up to 64GB
Drop Spec		120cm	90cm	180cm	180cm	Ruggedized	FCC Class B, CE, RoHS compliant	MIL-STD-810G
Ingress Protection		IPX5	N/A	IP65	IP65		IP54	IP65
WLAN		Intel Dual Band Wireless-AC 8260	802.3 10Base-T	802.11 a/b/g/n	Dual Band Wireless-AC 8265	802.11a/b/g/n	802.11ac, 2.4GHz/ 5GHz dual	802.11ac; 2.4GHz/ 5GHz
PAN		BT v 4.1 Class 1	BT v4.1 + EDR	BT 4.1 + EDR	BT 4.1 + EDR	BT v2.1	BT v4.0 LE	BT v4.0
WWAN				Optional	Option			3G WCDMA/HSPA/HSPA+/ EDGE/GPRS/GSM
GPS		Optional u-blox NEO-M8N with GPS/GLONASS/SBAS Support	Option	Optional	Option. Supports 4G	No	No	Yes
Imager		2D Barcode Reader	Option	Optional Smart Card reader	choice of 1D/2D Barcode Reader	1D/2D Optional	No	No
Camera		Front 2MP; Rear 8MP	Webcam: 2MP with digital microphone	Front: HD 720p. Rear: 8MP autofocus	Front: 2MP front. 8MP rear	5MP Optional	2MP front, 5MP back Opt.	2MP front, 5MP back
Keypads		10 finger capacitive multi- touchscreen	Capacitive touchscreen	10 finger capacitive multi- touch	Capacitive multi-touch	Capacitive Touch	Capacitive touch + stylus	Capacitive Touch
Batteries		Li-Ion 11.4 V, 2600mAh	Lithium-Ion (6 cell, 46Wh)	Li-Ion (11.1V, 4200mAh)	Li-Ion (7.2V, 3220mAh)	3.7V, 4000mAh	14.8V, 1880mAh	7.4V, 3760mAh
Dimensions (mm)		272 x 233 x 33.5 (main and base)	345 x 272 x 29.8	270x188x19	203x18x132	133 x 210 x 18	216 x 344 x 18.9	246 x 186 x 38.2
Weight		1.76kg (main and base)	Approx 2.1 kg	1.1 Kg	540g	0.5kg	1.5kg	1.16 kg
Display		10.1" sunlight-viewable TFT	14" IPS Active Matrix (TFT) colour LCD	10.1" TFT WUXGA	7" sunlight-viewable WXGA TFT IPS LCD with circular polarizer	7" LED-backlight, capaci- tive touch	13.3" LED backlight	9" LED-backlight
RFID		No	No	No	Option	13.56MHz optional	Optional 13.56MHz ±7KHz	N/A
Connectors		3 x USB3; 1 x USB 2; 2 x RJ-45; 2 x serial; 2 x HDMI; 1 x VGA; 1 x Headset; 1 x Port replicator; 1 x Antenna	USB 3.0 (3); HDMI; RJ45; Head- phone, DC Jack; 24 pin port; 15 pin VGA; 9 pin serial; USB 2.0.	USB 3.0, 2.0; RJ45; HDMI; Headset; 24 pin port; Antenna.	USB 3.0, Headset, Port Replicator Connector, Dual Antenna Connector (opt)	1 USB 2.0, 1 mini USB, 1 x Microphone In, 1 x Head- phone Out, 1 x DC-in 1 x SD Slot up to 8GB	1 x USB, 1 x Mic in, 1 x headphone out 1 x DC in, Smart card reader	2 x USB, 1 x headphone out 1 x DC in, 1 x Micro SD
Notes			Optional: Smart Card or Fingerprint Reader, 4G Mobile Broadband, GPS (ublox), Bridge battery hot swap, Dual Pass through Antenna	Optional NFC				

Windows Tablets and convertible laptops

		Sumo (continued)					Trimble	XPlore	
		ST391UF	ST395	ST398B	ST315BT	ST315CT	Kenai	R12	F5m
									
Operating System		Microsoft® Windows® Embedded Standard 7 or 7 Professional	Windows, Embedded Standard 7, Windows 7 Professional, Linux	Windows, Embedded Standard 7, Windows 7 Professional, Linux	Windows, Embedded 7, 7 Pro, 8.0, 8.0 Pro or Linux	Windows Embedded Standard 7, Windows 7 Professional, Linux	Windows® 10 Professional	Windows® 10 Pro, 8.1 and 7	Windows® 10 Pro, 8.1, 7
Processor		Intel® Celeron® Dual Core, 1.58GHz (up to 2.17GHz)	Intel® Atom™ Dual Core, 1.86GHz	Intel® Celeron® Dual Core, 1.1GHz	Intel® Celeron® Dual Core, 1.58GHz	Intel® Atom™ Dual Core, 1.86GHz	Intel® BayTrail-I Atom E3826 1.46GHz dual	Intel® Core i7, i5 and Celeron	Intel® Core™ i7 vPro, i5, i3
Memory	RAM	4GB	4GB	4GB	4GB	4GB	4GB or 8GB DDR3 DRAM	4 GB or 8 GB DDR3L	4GB
	ROM	32GB to 128GB Flash	8GB to 256GB Flash	8GB to 256GB Flash	32GB to 256GB Flash	256GB Flash	128 or 256 GB	64GB SSD, 128 GB, 256 GB SSD, 512GB, 1TB all SSD	64GB, 128GB or 256GB
SD Slot		Micro-SD x 1, up to 64GB	Up to 64GB	Up to 64GB	SD Card	Up to 64GB	USB	Micro SD	USB 3.0 port
Drop Spec		MIL-STD-810G	MIL-STD-810G	MIL-STD-810G	N/A	N/A	4ft	4ft	Rubberized for shock dampening
Ingress Protection		IP65	IP65	IP65	IP52 front panel	IP54 front panel	IP65	IP54	IP54
WLAN		802.11ac; 2.4GHz/ 5GHz	802.11a/b/g/n	802.11a/b/g/n	802.11ac	802.11a/b/g/n	802.11 a/b/g/n	802.11 a/b/g/n	
PAN		BT v4.0	BT v3.0 + HS	BT v3.0 + HS	BT v4.0 LE	BT 3.0 HS	BT v4.0	BT 4.2	BT 4.0
WWAN		WCDMA/HSPA/HSPA+/EDGE/GPRS/GSM	HSPA+/WCDMA/EDGE/GPRS/GSM- 3G - Optional	HSPA+/WCDMA/EDGE/GPRS/GSM- 3G - Optional	3G module for HSPA+/WCDMA/EDGE/GPRS/GSM with GPS (optional)	3G module for HSPA+/WCDMA/EDGE/GPRS/GSM with GPS (optional)	GSM, 4G LTE data only	4G LTE with GNSS according to model	
GPS		No	Yes - Optional	Yes - Optional			L1 GPS, GLONASS or BeiDou	GPS with SBAS according to model	Optional U-Blox 7 GPS
Imager		No	1D & 2D Barcode Imager	1D & 2D Barcode Imager	1D & 2D (optional)	1D & 2D Barcode Imager	No	Optional	Optional 1D/2D
Camera		2MP front, 5MP back	2MP Front . 5MP Back	2MP Front . 5M Back	5MP Rear (optional)	5M Back	8MP LED Flash	8MP (rear), 2MP (front)	8MP rear, 2MP front
Keypads		Capacitive Touch	Onscreen	Onscreen	Capacitive touch	Onscreen	10-point multi-touch capacitive touchscreen	Onscreen	Capacitive 10-point Touch
Batteries		7.4V, 3760mAh	7.4V, 3760mAh	14.8V, 1880mAh	7.4V, 3760mA	7.4V, 3760mAh	10.8V 4.5mAh	Li-ion 45Whr	40Whr Lithium ion
Dimensions (mm)		246 x 186 x 38.2	196 x 256 x 33.5	220 x 263 x 25.4	211.5 x 260 x 20.3	211.5 x 260 x 20.3	298x206x43	328.5x207.5x19	256 x 256 x 24.3
Weight		1.16 kg	1.1 Kg	1.4 Kg	1.22 kg	0.9 kg	1.6kg	1.34kg	1.5 kg
Display		9" LED-backlight	9" LED Backlight + Resistive Touch	9.7" LED Backlight + Resistive Touch	9.7" LED-backlight	9.7" LED-backlight screen with capacitive touch	10.1" WUXGA	12.5"	10.4" XGA
RFID		840 ~ 960MHz; support China2, China1, US, EU, Korea, Japan, etc.	N/A	13.56MHz		No			
Connectors		2 x USB, 1 x headphone out 1 x DC in, 1 x Micro SD	1 x USB. ISO 7816 T=0, T=1; 1.8/3/5V smart card reader	1 eSATA USB	USB 3.0 Mic (opt), DC in, SD	USB	RS 232 DB 9 Serial, 3.5 mm audio,	Docking, USB 3.0, Serial (opt), 3mm Audio, HDMI, SD, SIM, Opt: RS232, RJ45, CAC/Smart Card Reader	Docking, USB 3.0
Notes		Built-in gyroscope sensor, e-compass sensor, pressure sensor and 3-axis accelerometer	Built in speakers. Optional external battery 7.4V, 3760mAh	Built in speakers. Optional external battery 7.4V, 3760mAh		Built in speakers			CID2 certified

Windows Tablets and convertible laptops

		XPLORE						Zebra	
		XSLATE B10	XSLATE R12	DM	DML	DMSR	DMSR M2	XC6	ET50 / 55
									
Operating System		Windows 10 Pro, 8.1 Pro, 7 Pro	Windows 10 Pro, 8.1 Pro, 7 Pro	Windows 7 Pro, 8.1 Pro	Windows 7 Pro, 8.1 Pro	Windows 7 Pro, 8.1 Pro	Windows 7 Pro, 8.1 Pro	Windows 7 Pro 32-Bit, 64-Bit or 8.1 Pro 64-Bit	Windows Industry Embedded 8.1 Pro with Connected Standby (Windows 10 ready)
Processor		Intel® Core™ i5-5350U, 1.8GHz	Intel® Core™ i7-7500U	Intel® Core™ i5-4300U 1.9GHz	Celeron 2980U 1.60Ghz	Intel® Core™ i5-4300U 1.9GHz or i7-4650U 1.7GHz	Intel® Core™ i5-4300U 1.9GHz or i7-4650U 1.7GHz	4th Gen Intel® Core™ i9 / 1.7GHz	Intel quad core 2.4 GHz 64 bit
Memory	RAM	8 GB	8 GB	4GB	4GB	4GB	4GB	4GB	4GB LPDDR3
	ROM	Standard 128 GB SSD Up to 256 or 512 GB SSD	Options: 128GB, 256GB, 512GB SSD	16GB	16GB	16GB	16GB	Up to 16GB expandable	64 GB eMMC Flash
SD Slot		Micro SDXC	Micro SD	Micro SD	Micro SD	Micro SD and Micro SIM	Micro SD and Micro SIM	Micro SD and SIM	USB2.0
Drop Spec		5ft	4ft	4ft	4ft	4ft	4ft	4ft	1m
Ingress Protection		IP65	IP54	IP67	IP67	IP67	IP67	IP67	IP65
WLAN		802.11ac		802.11 a/c	802.11 ac	802.11 ac	802.11 ac	802.11ac	802.11a/b/g/n/k/r
PAN		BT v4.0	BT v4.2	BT v4.0	BT v4.0	BT v4.0	BT v4.0	BT v4	BT v4.0
WWAN		4G LTE (Optional)	4G LTE (optional)					Integrated	Global LTE with HSPA+
GPS		Integrated	Optional	Optional	Optional	Optional	Optional	Optional 2 Meter GPS or Sub-Meter GPS	Integrated
Imager		1D/2D (Optional)	Fingerprint Reader, Optional: Smart Cardreader, 1D/2D barcode reader	Optional CAC reader	Optional CAC reader	Optional CAC reader Integrated Barcode capable 5MP camera	Integrated Barcode capable 5MP camera	Integrated Barcode Capable	Expansion pack accessory
Camera		Front: 1080P FHD Webcam Rear: 8 MP	8MP rear, 2MP front	Integrated front, Barcode capable rear	Xplore Camera (Photo And Video) Software	HD Front	HD Front	Integrated HD font. 5MP rear	2.0 MP Front, 8.0 MP Rear
Keypads		10-Finger Capacitive Touch	Capacitive 10-Point Touch	Onscreen	Onscreen	Onscreen	Onscreen	Resistive touchscreen	Capacitive 10 point multi-touch
Batteries		5300 mAh, 39.2 Whr	Li-Ion, 45Whr	Li-Ion, 81.4Whr	Li-Ion, 81.4Whr	Li-Ion, 81.4Whr	Li-Ion, 81.4Whr	Li-ion 81.4 Wh	5900 mAh rechargeable Smart Li-Ion
Dimensions (mm)		281 x 180 x 22	328.5 m x 207.5 m x 19	284.4 x 209.5 x 40.7	284.4 x 209.5 x 40.7	284.4 x 209.5 x 40.7	284.4 x 209.5 x 40.7	284.4x209.5x407	8.3": 228 x 150 x 12.5 10.1": 269 x 181 x 12.5
Weight		From 1.09 kg	1.34 kg	2.4kg	2.4kg	2.4kg	2.4kg	2.4kg	8.3": 555 g; 10.1": 750 g
Display		10.1" WXGA LED Backlit	12.5" Wide Viewing Angle	10.4" XGA LED IPS	10.4" XGA LED IPS	10.4" XGA LED IPS	10.4" LED IPS	10.4" XGA	21 cm and 25.6 cm
RFID								No	
Connectors		DC Power, 2 USB 3.0, Micro SDXC, Micro HDMI-out, Micro SIM Card Reader, RS232 True Serial Ready, Stereo Headphones/Mic Mini-Jack, Smart Phone, Headphone Compatible, HDMI Input (Optional)	Dodling, USB 3, 3mm audio, HDMI, Micro SD, Micro SIM, Optional: RS232, RJ45, CAC/Smart card resder.	DC IN, Docking, Headphone, Micro SD and SIM, USB 3.0 x 2, RJ45, XPL for GPS attachment	DC IN, Docking, Headphone, Micro SD and SIM, USB 3.0 x 2, RJ45, XPL for GPS attachment	DC IN, Docking, Headphone, Micro SD and SIM, USB 3.0 x 2, RJ45, XPL for GPS attachment	DC IN, Docking, Headphone, Micro SD and SIM, USB 3.0 x 2, RJ45, XPL for GPS attachment	DC power. Docking. 2 USB 3.0. RJ-45. Headphone/speaker, mic. 9-pin Serial (RS232/RS422/RS485) (Standard VGA Or HDMI-Out Opt). MicroSD and SIM (tool-less). Side XPL Expansion ports	Docking, USB 3.0; HDMI; USB 2.0; Audio jack, µUSB (for charging)
Notes								Readable in direct sunlight	